GENERAL

		PAPAYA 3D	PAPAYA 3D PLUS
Exposure Time	Panoramic	9 ~ 17 sec	9 ~ 17 sec
	Cephalometric	–	4 ~ 12 sec
	CT	7.7/14.5 sec	7.7/14.5 sec
FOV		Φ 40 x 50mm ~ Φ140 x 140mm	
Voxel Size		75~400 μm	
Focal Spot		0.5mm	
Target Angle		5°	
Tube Voltage		60 ~ 90kV	
Tube Current		4~12 mA	
Line Voltage		220V, 50/60Hz	

SENSOR

	CT	Panoramic	Cephalometric
Pixel Pitch	100 x 100 μm	75 x 75 μm	75 x 75 μm
Active Area	130.2 x 128 mm	152 x 6.5 mm	228 x 6.5 mm

• The specifications above can be changed to improve performance without notice.

Dimensions







> PAPAYA 3D
1,203(W) x 1,131(D) x 2,383(H) mm
145 kg

> PAPAYA 3D plus
1,887(W) x 1,131(D) x 2,383(H) mm
160 kg

GENORAY

www.genoraypolska.pl
ul. Grzybowska 80/82; Warszawa 00-844
biuro@genoraypolska.pl ; www.genoraypolska.pl
Tel.: +48 507 000 450 lub 507 000 470

GENORAY Co.,Ltd.
512, 560, Dunchon-daero, Jungwon-gu, Seongnam-si, Gyeonggi-do, 13230, Korea
Tel. +82-31-5178-5500 | Fax. +82-31-5178-5599
genoray@genoray.com | www.genoray.com

Genoray America Inc.
147 E. Bristol Lane Orange, CA 92865 USA
Tel. +1-855-436-6729 | Fax. +1-714-786-8919
inquiry@genorayamerica.com
www.genorayamerica.com

Genoray Japan
2F Ishibashi-Bldg, 1-4-15 Shinyokohama, Kouhoku-ku, Yokohama-city, kanagawa, 222-0033 Japan
Tel. + 81-45-620-4971 | Fax. +81-45-620-4972
Info@genorayjapan.co.jp | www.genorayjapan.co.jp

Genoray EU GmbH
Westhafenstr. 1 13353 Berlin, Germany
Tel. +49-30-509-694-98 | Fax. +49-30-530-198-08
info@genoray.com

• This X-ray unit may be dangerous to patient and operator unless safe exposure factors and operating instructions are observed.

Ver. 2021-08

Leader in Digital X-ray systems

PAPAYA 3D PLUS

Combination Dental X-ray Imaging System

3D CT / Panoramic / Cephalometric

GENORAY

Combines

3D CT, Panoramic, Cephalometric

The versatile imaging capability provides the user with accurate information for implant planning.

- Multi-FOV Selection
- 7.7 sec Fast Scan for 3D image
- Dedicated sensor for each mode
- Safety, stability, durability



Automated sensor switching for each scanning mode.

Auto-switching system positions the appropriate sensor without manual intervention.

The structure is optimized for safety, stability and durability.

Balance and rigidity prevents position errors during scan
Stability reduces installation requirements

All axis motorized movement

(UP/DOWN/LEFT/RIGHT).

The remote activation control includes an emergency stop button

Convenient storage tray for patient's articles during examination.

Face to face layout assists in accurate patient positioning

Voice prompting for patient guidance and reassurance.

Hand Grip

Wheelchair access

3D CT

High Resolution Computed Tomography Technology

Clearly defined images in three dimensions provide users with accurate diagnostic information.

Fast scan mode

Scanning times of as low as 7.7 seconds reduce dose, motion artifacts and image distortion.



Auto-stitching technology

The wide high definition images can be enhanced by auto-stitching technology



Dedicated sensor for CT

A separate sensor, optimised for CT imaging ensures the best results.

> 3D CT Imaging system <

Multi-FOV Selection

Multi-F.O.V. selection enables accurate scanning whilst keeping dose levels to a minimum.

Φ 4x5	Φ 7x7	Φ 8x8	Φ 14x8	Φ 14x14
				* Optional
Endo	Teeth		Jaw	Face
Endodontic	High Resolution	High Definition	Normal Resolution	Normal Resolution
75 μm	100 μm	150 μm	200 μm	200 μm
Endo mode shows high definition images	High contrast images of upper / lower jaw enable accurate diagnosis.		Provides an image of the full arch.	full arch including relevant bone areas

Φ 4x5



Φ 8x8

Φ 14x8

Φ 14x14

Panoramic

High Resolution Panoramic Image



The combination of linear and rotational movement allows for a greater variety of exposure modes.

> Panoramic Imaging system<

Exposure Programs

PAPAYA 3D PLUS supports various exposure programs, fulfill all diagnostic needs.
Standard panoramic, orthogonal panoramic, bitewing panoramic, child panoramic, TMJ lateral double, horizontal & vertical X-ray segmentation, TMJ PA double, TMJ LAT-PA, TMJ LAT-PA double, sinus lateral and sinus PA are supported.

Standard panoramic

Orthogonal panoramic



Sinus PA / Sinus lateral midsagittal

X-ray segment

Bitewing



TMJ lateral double

Cephalometric

High Resolution Cephalometric Image

- The optimized mechanical structure is designed for symmetrical balance, enhanced safety and durability.

- To optimise result, the sensor automatically positions for each exposure mode

- Only 4 seconds for scanning a cephalo image in fast mode. This reduces motion artifacts.

> Cephalometric Imaging system<

Exposure Programs

PAPAYA 3D PLUS supports various exposure programs to fulfill all diagnostic needs.
Lateral, AP, PA, Water's view, Submento vertex, and carpus are supported.

Lateral

AP



Water's view

Submento vertex

Carpus

PAPAYA 3D operation software

Panoramic exposure mode



Patient positioning guide

Cephalo exposure mode

CT exposure position (Adult)



Positioning guide for CT patient (Full scan)



SCOUT image screen

Genoray 3D image viewer for accurate diagnosis

Theia NEW

Check all information at a glance on the thumbnail layout

Fast access to the viewer and taking images.
Real-time image processing technology.

Real-time Image Processing



Real-time image processing available with check box tool

Clipping



Excellent cross-sectional view in the desired direction by the user with high Volume Render Quality

AI Customizing Layout

Free formation and Free Layouts with simple drag

7 images (Maximum 9)

Improved image processing

SMARF™(Smart Metal Artifact Reduction Function) minimizes the effect of metal artifacts caused by prosthetics to prevent image degradation.



STL Export

Enable 3D printer and CAD/CAM to be used by converting 3D images to STL data.